

ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

Fill in **BLUE** or **BLACK** ink, with **BLOCK CAPITALS**, after checking the instructions contained in the annex to this form.

SECTION A - AP	PPLICANT	DETA	ILS										
Complete Name									ANA	AC / Stude	ent Pilo	t Card / Licence :	number
		ass/typ	oe/i	I check the Co nstrument rati I by the ATO, I	ing renewal:	The e	examiner s	hall che	ck the	Refresh		its conduct. Ining Declaratio	on
SECTION B - PRI	E-TEST/CH	HECK	REC	UIREMENTS									
B.1 - Class/Type ra	· · · · · · · · · · · · · · · · · · ·			iss/type rating	revalidation	ı requ	irements					nstrument ratin	g
Class/Type:		10 r	oute	e sectors, duri	ng the validi	ity of	the rating.					evalidation Yes 🔲 No 🗌	
Initial issue (1)		1 ro	ute	sector, flown v	with an Exan	niner.	DoF:				Re	evalidation	
Revalidation		1 ro	ute	sector, flown i	in the PC bel	low.					Re	enewal ⁽³⁾	
Renewal ⁽²⁾		Com	bin	ed LPC/OPC in	CAT operat	tor, ac	cording FO	CL.740.	A(a)(3).				
		/ 55.0											
SECTION C - SK	ILL TEST /	/ PRO	FICI	ENCY CHECK	C SPA <u>EXCE</u>	ii .							
C.1 - Attempts Attempt number	(If applica	bla) dat	o of	previous attem	nt	C.2 -	- Operatior	1					
Attempt number	(ii applical	DIE) Gai	. 6 01	previous attemp	ρt		Single-Pilot C)PS	\Box	Multi-Pilot	t OPS		
C.3 - Details							ingic i not c	,, ,	Ш.	water i not	. 013		
Flt Date	Conduc	ted in		Registration	Departure Al	D A	Arrival AD	Start	time	Finish	time	Duration	Ldgs
1	A/C	FST	D										
2	A/C	FST	D										
3	A/C	FST	D										
									Total d	luration &	Ldgs:		
C.4 - Result			C.5	- Applicant D	Declaration								•
PASS PARTIAL PAS	S		In Reg		revalidation	and	Partial Pas	s or Fa	il: I ack	nowledge		in accordance wi ed - FCL740.A(c).	
FAIL C.6 - Licence endo	reements (Tuno /	ID va	avalidation onl	lv if within 3	2 man	the of own	im. / AN	IAC Eve	minore	or Nov	a ANAC as in	
Examiner Differe			IK I	,		3 111011	itiis oi exp					I-ANAC as III	
	I have endorsed the following ratings in the applicants licence: Rating & new validity date Rating & new validity date												
C.7 - Examiner C.8 - (If applicable) ANAC Inspector / Senior Examiner													
Name						Name	2						
Examiner Certificate	number/Mer	mber St	ate			Exam	iner Certific	ate num	ber/Mer	nber State	e		
FCL.1030(b)(3)(iv)) – Applicant	t's expe	rien	ce and training	complies with	the ap	pplicable req	uiremer	its of PA	RT-FCL.			
FCL.1030(b)(3)(v)													
"Non-ANAC" Exam	niners only	_		30(b)(3)(iv) - 1 i s Competent Au						•			the
Examiner signature					.,	п	Inspector /						

Form 8.2.6.1.17, rev 1 Page 1 of 5



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

Date	Applicant name				ANAC /	ANAC / SP Card / Licence N°		
CEC	TION D. DEMARKS / DEACONS I	COD FAILURE (AC ADDUCADUE)						
SEC	TION D - REMARKS / REASONS I	OK FAILURE (AS APPLICABLE)						
CEC	TION 1 DEPARTURE		.	1		_	. / 61	
SEC	TION 1 - DEPARTURE	racadurac		al Trai	ning Instructor	Chkd in	st / Che	
	Manoeuvres/p	rocedures	FSTD	Α	initials	FSTD/A	PASS	FAIL
	-Documentation							
1.1	-Mass & Balance -Weather briefing		OTD					
	-NOTAM							
1.2	Pre-start checks		ОТД			l		1
1.2.1	External		P#	Р		М		
1.2.2	Internal		OTD P#	Р		М		
1.3	Engine starting: Normal malfunctions		P→	→		М		
1.4	Taxiing		P→	→		М		
1.5	Pre-departure checks: Engine run-up (if applicable)		P→	→		М		
1.6	Take-off procedure: -Normal with Flight Manual flap setting	gs; and	P→	→		М		
	-Crosswind (if conditions available) Climbing:							
1.7	-Vx/Vy		P→	→		М		
	-Turns onto headings -Level off							
1.8	ATC liaison-compliance, R/T procedure					М		
CEC.	TION 2 - AIRWORK (VMC)		Drastie	al Trai	nina	Та	st / Cha	clı
SEC	Manoeuvres/p	procedures	FSTD	cal Trai A	Instructor	Chkd in	st / Che PASS	FAIL
2.1	Straight and level flight at various airspeairspeed with and without flaps (including	eds including flight at critically low	P→	→ A	initials	FSTD/A	PASS	FAIL
2.2	Steep turns (360° left and right at 45° ba		P→	→		М		
	Stalls and recovery:							
	(i) Clean stall	with bank with approach configuration						
2.3	and power		P→	→		М		
		h take-off flap and climb power (Single						
2.4	engine aeroplane only) Handling using autopilot and flight direct	ctor (may be conducted in section 3) if	P.\					
2.4	applicable		P→	→		M		
2.5	ATC liaison — Compliance, R/T procedu	re	P→	→		М		
Exam	liner signature	ANAC Inspector / Senior Examiner signat	ure	Applica	nt signatu	re		

Form 8.2.6.1.17, rev 1 Page 2 of 5



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

Date	Applicant name	ANAC / SP Card / Licence N°

Section 3A shall be completed to **revalidate a type or multi-engine class rating**, VFR only, where the required experience of 10 route sectors within the previous 12 months has not been completed.

Section 3A is not required if section 3B is completed.

SECTION 3A - EN-ROUTE PROCEDURES VFR		Practical Training			Test / Check		
Manoeuvres/procedures	FSTD	Α	Instructor initials	Chkd in FSTD/A	PASS	FAIL	
3A.1 Flight plan, dead reckoning and map reading	P→	→					
3A.2 Maintenance of altitude, heading and speed	P→	→					
3A.3 Orientation, timing and revision of ETAs	P→	→					
3A.4 Use of radio navigation aids (if applicable)	P→	→					
3A.5 Flight management (flight log, routine checks including fuel, systems and icing)	P→	→					
3A.6 ATC liaison — Compliance, R/T procedure	P→	→					

The starred and shaded (*) items of section 3B and for multi-engine, section 6, shall be flown solely by reference to instruments if revalidation/renewal of an IR is included in the skill test or proficiency check.

If those items are not flown solely by reference to instruments during the skill test or proficiency check, and when there is no crediting of IR privileges, the class or type rating will be restricted to VFR only.

To establish or maintain PBN privileges <u>one</u> approach shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.

SECT	SECTION 3B - INSTRUMENT FLIGHT		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Α	Instructor initials	Chkd in FSTD/A	PASS	FAIL	
3B.1*	Departure IFR	P→	→		М			
3B.2*	En-route IFR	P→	*		М			
3B.3*	Holding procedures	P→	→		М			
3B.4*	3D operations to decision height/altitude (DH/A) of 200 ft (60 m) or to higher minima if required by the approach procedure (autopilot may be used to the final approach segment vertical path intercept)	P→	→		М			
3B.5*	2D operations to minimum descent height/altitude (MDH/A)	P→	→		М			
3B.6*	Flight exercises including simulated failure of the compass and attitude indicator: - rate 1 turns, - recoveries from unusual attitudes	P→	→		М			
3B.7*	Failure of localiser or glideslope	P→	→					
3B.8*	ATC liaison — Compliance, R/T procedure	P→	→		М			

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature
	,	, , , , , , , , , , , , , , , , , , ,

Form 8.2.6.1.17, rev 1 Page 3 of 5



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

Date	Applicant name	ANAC / SP Card / Licence N°

SECTION 4 - ARRIVAL AND LANDINGS	Practic	Practical Training		Test / Check		
Manoeuvres/procedures	FSTD	Α	Instructor initials	Chkd in FSTD/A	PASS	FAIL
4.1 Aerodrome arrival procedure	P→	→		М		
4.2 Normal landing	P→	→		М		
4.3 Flapless landing	P→	→		М		
4.4 Crosswind landing (if suitable conditions)	P→	→				
4.5 Single-engine aeroplane only: Approach and landing with idle power from up to 2 000' above the runway	P→	→				
4.6 Go-around from minimum height	P→	→		М		
4.7 Night go-around and landing (if applicable)	P→	→				
4.8 ATC liaison — Compliance, R/T procedure	P→	→		М		

SEC	SECTION 5 - ABNORMAL AND EMERGENCY PROCEDURES		Practical Training			Test / Check		
	This section may be combined with secti	ions 1 throu	ıgh 4					
	Manoeuvres/procedures	FTD FFS	А	Instructor initials	Chkd in FSTD/A	PASS	FAIL	
5.1	Rejected take-off at a reasonable speed	P→	→		М			
5.2	Single-engine aeroplane only: Simulated engine failure after take-off		Р		М			
5.3	Single-engine aeroplane only: Simulated forced landing without power		Р		М			
5.4	Simulated emergencies: (i) fire or smoke in flight; and (ii) systems' malfunctions as appropriate.	P→	→					
5.5	ME aeroplanes and TMG Training only: Engine shutdown and restart (at a safe altitude if performed in the aircraft)	P→	→					
5.6	${\sf ATC\ liaison-Compliance,\ R/T\ procedure}$							

SEC	SECTION 6 - SIMULATED ASYMETRIC FLIGHT		Practical Training			Test / Check		
	This section may be combined with sections 1 through 5							
	Manoeuvres/procedures	FSTD	Α	Instructor initials	Chkd in FSTD/A	PASS	FAIL	
6.1*	Simulated engine failure during take-off (at a safe altitude unless carried out in FFS or FNPT II)	P→	→x		М			
6.2*	Asymmetric approach and go- around	P→	→		М			
6.3*	Asymmetric approach and full stop landing	P→	→		М			
6.4	${\it ATC \ liaison-Compliance, R/T \ procedure}$							

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature
Examiner signature	/ wite inspector / Semon Examiner signature	rippireum signature

Form 8.2.6.1.17, rev 1 Page 4 of 5



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

Date	Applicant name	ANAC / SP Card / Licence N°

SECTION 7 - UPRT		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Α	Instructor initials	Chkd in FSTD/A	PASS	FAIL
7.1	Flight manoeuvres and procedures						
7.1.1	Manual flight with and without flight directors (no autopilot, no autothrust/autothrottle, and at different control laws, where applicable)	P→	→				
7.1.1.1	At different speeds (including slow flight) and altitudes within the FSTD training envelope.	P→	→				
7.1.1.2	Steep turns using 45° bank, 180° to 360° left and	P→	→				
7.1.1.3	Turns with and without spoilers	P→	→				
7.1.1.4	Procedural instrument flying and manoeuvring including instrument departure and arrival, and visual approach	P→	→				
7.2 7.2.1	Upset recovery training Recovery from stall events in: - take-off configuration; - clean configuration at low altitude; - clean configuration near maximum operating altitude; and - landing configuration	P→	→				
7.2.2	The following upset exercises: - recovery from nose-high at various bank angles; and - recovery from nose-low at various bank angles.	P FFS qualified for the training task only	X a)		FFS only		
7.3	Go-around with all engines operating* from various stages during an instrument approach	P→	→				
7.4	Rejected landing with all engines operating: – from various heights below DH/MDH 15 m (50 ft) above the runway threshold – after touchdown (baulked landing) – In aeroplanes which are not certificated as transport category aeroplanes (JAR/FAR 25) or as commuter category aeroplanes (SFAR 23), the rejected landing with all engines operating shall be initiated below MDH/A or after touchdown.	P→	→				

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature

Form 8.2.6.1.17, rev 1 Page 5 of 5



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

Instruction pages contain a summary of applicable procedures and Regulations. They shall be complemented by checking applicable Regulations, Examiner Handbook and EASA Examiner Differences Document.

Incomplete forms or with filling deficiencies, will be rejected, stopping any application process.

Conditions

Examiner: Skill Test, ANAC Inspector or FE(A) with FCL.1005.FE(a)(1) or (2) or CRE with FCL.1005.CRE(a) privileges.

Class/Type Prof.Check, ANAC Inspector or FE(A) with FCL.1005.FE(a)(1) or (2) or CRE with FCL.1005.CRE(b)(1) privileges.

Instrument Prof.Check, ANAC Inspector or IRE(A) or CRE with FCL.1005.CRE(b)(2) privileges.

Prior notification: <u>Skill Test</u>, MANDATORY up to <u>05 days prior</u> of planned date (ANAC Examiners: <u>webportal</u>; NON-ANAC Examiners: <u>webportal</u> or <u>e-mail as in Examiner Differences Document</u>).

Proficiency Check, NOT MANDATORY for ANAC Examiners; MANDATORY for NON-ANAC Examiners for licence endorsement

ANAC approval: Skill Test, MANDATORY (check webportal or e-mail, as applicable).

Proficiency Check, NOT MANDATORY for ANAC Examiners; MANDATORY for NON-ANAC Examiners for licence endorsement -

Experience & crediting: Skill Test, FCL.725, FCL.720.A, FCL.725.A

Type/instrument Proficiency Check, FCL625, FCL625.A, FCL.740 or FCL.740.A

Exam duration: according GM1 FCL.1015, at least <u>03 hours</u> total, of which at least <u>45 minutes (class/type VFR only)</u> or <u>60 minutes (IR only)</u> or <u>90 minutes (combined class/type with IR)</u> flight.

Licence endorsement: See SECTION C.6 instructions below.

Exam report: MANDATORY, up to 15 days after planned date (ANAC Examiners: webportal; NON-ANAC Examiners: e-mail or webportal as applicable;.

Filling instructions

Fill hours and times as **hh:mm** and dates in **dd/mm/yyyy** format.

SECTION A: Insert applicants name and ANAC or Student Pilot Card or Licence number. Strikeout whichever is not applicable.

SECTION B.1: Under "Class/Type", indicate class or type rating as in the licence or "EASA Type Rating & License Endorsement List Flight Crew" (e.g.: SEP, MEP, etc.).

(1) The Examiner shall check the Course Completion Certificate issued by the ATO, prior to the conduct of the Skill Test.

(2) The Examiner shall check the Refresher Training Declaration issued by the ATO, prior to the conduct of the Proficiency Check

SECTION B.2: If applicable, for class or type revalidation only. Select appropriate option. In case of a route sector flown with an Examiner, not combined with the Check, the date of flight (*DoF*) shall be entered in the appropriate field.

SECTION B.3: Self-explanatory. No initial issue of an instrument rating in this form.

(3) The examiner shall check the Refresher Training Declaration issued by the ATO, prior to the conduct of the Proficiency Check.

SECTION C.1: Indicate attempt number. In case of a re-Test/Check, indicate the date of the previous attempt.

NOTE: Form(s) of previous attempt(s) shall be attached to this Form and verified by the Examiner.

SECTION C.2: Self-explanatory. When a Skill Test or Proficiency Check is performed in multi-pilot operations, the class/type rating shall be restricted to multi-pilot operations.

SECTION C.3: Fill the flight or FSTD details in line 1.

In case the Test/Check is conducted in more than one flight/FSTD session, use additional lines 2 & 3 for subsequent flights/FSTD sessions

In case an aircraft is used, all items are self-explanatory, except:

- "Start time", "Finish time" and "Duration", according definitions contained in FCL.010, for flight time.
- In case of the conduct of an IR Proficiency Check, indicate in SECTION D the AD(s) where IFR approaches took place.

In case an FSTD is used, all items self-explanatory, except:

- "Registration" column, insert the FSTD Qualification Certificate number;
- "Start time" and "Finish time" will be the time of start and end of the FSTD session, respectively;
- "Duration" will be the FSTD session time.

"Total duration & Ldgs", respectively, the sum of duration times and sum of landings, if more than one flight/session was conducted (line 1+2+3).

SECTION C.4: Grade according to "Pass/fail policy" detailed below.

SECTION C.5: Applicant shall acknowledge that (s)he has been informed of the result of the Test/Check by signing this field.

In case of an Proficiency Check for revalidation of a rating and a Partial Pass or Fail is obtained: the applicant additionally acknowledges, that in accordance with the Regulations – FCL.740.A(c) - (s)he may not exercise the privileges of the Rating, until a PASS in a new PC is obtained.

If the applicant refuses to sign, the Examiner shall record the fact in SECTION D - "Remarks/Reasons for Failure". ANAC shall be informed with undue delay, with a short report of the event.

Form 8.2.6.1.17, rev 1 Instructions Annex 1 of 3



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

SECTION C.6: Applicable to ANAC Examiners and to Non-ANAC Examiners register on ANAC website "Portal dos Examinadores" and has notified the "Proficiency Check". Endorsement permitted only in case of revalidation of ratings within 3 months prior of expiry date: indicate type rating as endorsed in the licence, followed by the new expiry date (dd/mm/yyyy format).

ENDORSEMENT OF RATINGS IN THE LICENCE IS PERMITTED TO ANAC EXAMINERS and NON-ANAC EXAMINERS register on ANAC website "Portal dos Examinadores" and has notified the "Proficiency Check".

Filling instructions (continued)

SECTION C.7: Self-explanatory.

By signing, the Examiner acknowledges the declarations contained within the section.

NON-ANAC Examiners, shall enter the current Examiner Differences Document version, after reviewing it.

No stamps allowed, except ANAC Inspectors.

SECTION C.8: Applicable only in case of an <u>ANAC supervision</u>, <u>Examiner Assessment of Competence or Examiner Standardization Session</u>, of the Test/Check, in which case the <u>ANAC Inspector or authorized Senior Examiner fills and signs this section</u>.

By signing, the Inspector or Senior Examiner acknowledges the declarations contained within the section.

No stamps allowed, except ANAC Inspectors.

SECTION D: Any remarks deemed necessary. Reasons for failed items are explained here.

If insufficient space, attach a page detailing date, type of Test/Check, applicant name and signature, Examiner name and signature.

SECTION 1 to 7: Training and assessment.

The symbology and considerations for "Practical Training" table shall be checked in the appropriate Regulations.

In case of a class/type rating Skill Test or Proficiency Check for renewal, the instructor shall insert initials under "Instructor initials" column, for each training exercise completed.

Starred (*) items shall be flown solely by reference to instruments, if IR privileges are intended. If this condition is not met during the Test/Check, the class/type rating will be restricted to VFR only.

M = indicates a mandatory exercise.

a) = indicates an aircraft may not be used for the exercise.

Grade each item in respective PASS or FAIL columns, with short signature (containing the Examiner initials), in appropriate box. Do not grade with crosses (X) or check marks (1).

At the discretion of the Examiner, any manoeuvre or procedure of the Test/Check may be repeated once by the applicant. In such case the Examiner, shall write the number "2" (indicating second attempt) next to the signature/initials in the applicable item.

In accordance with FCL.1030(b)(3)(ii), if an item has been failed, the Examiner shall record the reasons for this assessment in SECTION D.

Regulations

FCL.725(c) Skill Test class/type rating

Appendix 9 - Training, skill test and proficiency check for MPL, ATPL, type and class ratings, and proficiency check for IRs.

Flight test tolerance limits

The applicant shall demonstrate the ability to:

- operate the aircraft within its limitations;
- complete all manoeuvres with smoothness and accuracy;
- exercise good judgment and airmanship;
- apply aeronautical knowledge; and
- maintain control of the aircraft at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.
- understand and apply crew coordination and incapacitation procedures, if applicable; and
- communicate effectively with the other crew members, if applicable.

The following limits shall apply, corrected to make allowance for turbulent conditions and the handling qualities and performance of the aircraft used.

Height

generally	± 100 ft
starting a go-around at decision height/al	,
minimum descent height/MAP/altitude	+ 50 ft / - 0 ft
Tracking	
on radio aids	± 05°
for "angular" deviations	half scale deflection, azimuth and glide path (e.g. LPV, ILS, MLS, GLS).
2D (LNAV) and 3D (LNAV/VNAV) "linear" la	ateral deviations cross-track error/deviation shall normally be limited to $\pm \frac{1}{2}$ the RNP value associated with the procedure. Brief deviations from this standard up to a maximum of 1 time the RNP value are allowable.
3D linear vertical deviations (e.g. RNP APC (LNAV/VNAV) using BaroVNAV)	CHnot more than -75 feet below the vertical profile at any time, and not more than +75 feet above the vertical profile at or below 1000 feet above aerodrome level.

Form 8.2.6.1.17, rev 1 Instructions Annex 2 of 3



ST/PC SPA (no HPC) PBN - Skill Test/Prof. Check Single-Pilot Aeroplane (except HPC) PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

Heading	
all engines operating	± 05°
with simulated engine failure	± 10°
Speed	
all engines operating	± 05 knots
with simulated engine failure	+ 10 knots / - 05 knots

Conduct of the test

An applicant for the issue/revalidation/renewal of a SPA class or type rating shall pass a Skill Test/Proficiency Check in accordance with Appendix 9 to PART-FCL to demonstrate the skill required for the safe operation of the applicable class/type of aircraft.

Should the applicant choose to terminate the Test/Check for reasons considered inadequate by the Examiner, grade 'FAIL' in section C.4. The applicant shall retake the entire Test/Check, for which a new FORM shall be used.

If the Test/Check is terminated for reasons considered adequate by the Examiner, only those sections not completed shall be tested in a further flight/session. In such case, the same FORM shall be used, completing the missing items/sections.

Pass/fail policy

Applicant for an SPA class or type rating shall pass all sections of the Skill Test or Proficiency Check - grade 'PASS' in section C.4.

At the discretion of the Examiner, any manoeuvre or procedure of the Test/Check may be repeated once by the applicant. In such case the Examiner, shall write the number "2" (indicating second attempt) next to the signature/initials in the applicable item.

Failure in any item of a section will cause the applicant to fail the entire section.

Failure in more than one section will require the applicant to take the entire Test/Check again. In such case, grade "FAIL" in section C.4.

An applicant failing only in one section shall only repeat the failed section. In such case, grade "PARTIAL PASS" in section C.4.

Failure in any section of the re-Test/Check, including those sections that have been passed on a previous attempt, will require the applicant to take the entire Test/Check again.

NOTE: When the Test/Check is repeated (following a PARTIAL PASS or FAIL), a new FORM shall be used. FORM(S) of previous attempt(s) shall passed to the new Examiner and attached to the new FORM.

Form 8.2.6.1.17, rev 1 Instructions Annex 3 of 3