

### ST BIR/IR(H) PBN - Skill Test BIR/Instrument Rating (Helicopter) PBN

Fill in BLUE or BLACK ink, with BLOCK CAPITALS, after checking the instructions contained in the annex to this form.

Complete name  ANAC number / Student pilot card number											
Examiner	shall check	the Cou	rse Completio	on Certificate	issued b	y the ATO	O, prior	to the	e conduct of t	he Skill Test	
SECTION B - SK	ILL TEST II	R(H)			PBN	YES [		NO [			
B.1 - Attempts Attempt number	(If applicable	e) date of	previous attem	pt	<b>B.2</b> – He	licopter		Varia	nt		
B.3 - Details Flt Date	Conducte	d in	Registration	Depart. location	on Arrival	location	Start ti	ime	Finish time	Duration	Ldgs
1	A/C	FSTD									
2	A/C	FSTD									
3	A/C	FSTD									
	•	•		•		•	-	Total d	uration & Ldgs:		
B.4 - Result		B.5	- Applicant I	Declaration							l
PASS			declare that I have been informed of the result of the Test.  Signature:								
PARTIAL PASS	S										
FAIL					D 7 (15	ا ما مد : امر مر	-> ^>	C l		· F	
<b>B.6</b> - Examiner Name					<b>B.7</b> - (If applicable) ANAC Inspector / Senior Examiner Name						
Examiner Certificate	number/Mem	ber State			Examiner	Certificate	e numbe	r/Mem	ber State		
FCL.1030(b)(3)(iv) FCL.1030(b)(3)(v) "Non-ANAC" Exan	- All required niners only:	manoeu <b>FCL.10</b> 3	vres and exercis 30(b)(3)(iv) - I	ses have been o have reviewed	ompleted I and appli	in accorda ied the rele	ance with evant na	PART tional p	-FCL.		f the
Examiner signature					ANAC Inspector / Senior Examiner signature						
SECTION C - REMARKS / REASONS FOR FAILURE (AS APPLICABLE)											

Form 8.2.6.1.31, rev 2 Page 1 of 3



### ST BIR/IR(H) PBN - Skill Test BIR/Instrument Rating (Helicopter) PBN

Date	Applicants name	ANAC N / Stud. pilot card number

Use of checklist, airmanship, anti-icing/de-icing procedures, etc., apply in all sections.

Shaded and starred (\*) items may be performed in either section 4 or section 5.

(+) To establish PBN privileges one approach in either Section 4 or Section 5 shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD

(\*) To be performed in Section 4 or Section 5.

SEC	TION 1 - DEPARTURE	PASS	FAIL
1.a	Use of flight manual (or equivalent) especially aircraft performance calculation; mass and balance		
1.b	Use of Air Traffic Services document, weather document		
1.c	Preparation of ATC flight plan, IFR flight plan/log		
1.d	Identification of the required navaids for departure, arrival and approach procedures		
1.e	Pre-flight inspection		
1.f	Weather minima		
1.g	Taxiing/air taxy in compliance with ATC or instructions of instructor		
1.h	PBN departure (if applicable): — Check that the correct procedure has been loaded in the navigation system; and — Cross-check between the navigation system display and the departure chart.		
1.i	Pre-take-off briefing, procedures and checks		
1.j	Transition to instrument flight		
1.k	Instrument departure procedures, including PBN prodecures		

SEC	TION 2 - GENERAL HANDLING	PASS	FAIL
2.a	Control of the helicopter by reference solely to instruments, including:		
2.b	Climbing and descending turns with sustained Rate 1 turn		
2.c	Recoveries from unusual attitudes, including sustained 30° bank turns and steep descending turns		

SEC	TION 3 - EN-ROUTE IFR PROCEDURES	PASS	FAIL
3.a	Tracking, including interception, e.g. NDB, VOR, RNAV		
3.b	Use of radio aids		
3.c	Level flight, control of heading, altitude and airspeed, power setting		
3.d	Altimeter settings		
3.e	Timing and revision of ETAs		
3.f	Monitoring of flight progress, flight log, fuel usage, systems management		
3.g	Ice protection procedures, simulated if necessary and if applicable		·
3.h	ATC liaison — compliance, R/T procedures		

SECT	TION 3a - ARRIVAL PROCEDURES	PASS	FAIL
3a.a	Setting and checking of navigational aids, and identification of facilities, if applicable		
3a.b	Arrival procedures, altimeter checks		
3a.c	Altitude and speed constraints, if applicable		
3a.d	PBN arrival (if applicable):  — Check that the correct procedure has been loaded in the navigation system; and  — Cross-check between the navigation system display and the arrival chart.		

	and the arrival errare.		
SECT	TION 4- 3D OPERATIONS (+)	PASS	FAIL
4.a	Setting and checking of navigational aids Check Vertical Path angle For RNP APCH:  — Check that the correct procedure has been loaded in the navigation system; and — Cross- check between the navigation system display and the approach chart.		
4.b	Approach and landing briefing, including descent/approach/landing checks		
4.c(*)	Holding procedure		
4.d	Compliance with published approach procedure		
4.e	Approach timing		
4.f	Altitude, speed heading control (stabilised approach)		
4.g(*)	Go-around action		
4.h(*)	Missed approach procedure/landing		
4.i	ATC liaison — compliance, R/T procedures		

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature

Form 8.2.6.1.31 rev 2 Page 2 of 3



### ST BIR/IR(H) PBN - Skill Test BIR/Instrument Rating (Helicopter) PBN

Date	Applicants name	ANAC N / Stud. pilot card number

SECT	TION 5 - 2D OPERATIONS(+)	PASS	FAIL
5.a	Setting and checking of navigational aids For RNP APCH:  — Check that the correct procedure has been loaded in the navigation system; and  — Cross-check between the navigation system display and the approach chart.		
5.b	Approach and landing briefing, including descent/approach/landing checks and identification of facilities		
5.c(*)	Holding procedure		
5.d	Compliance with published approach procedure		
5.e	Approach timing		
5.f	Altitude, speed heading control (stabilised approach)		
5.g(°)	Go-around action		
5.h(°)	Missed approach procedure/landing		
5.i	ATC liaison — compliance, R/T procedures		

Thi thre the imr	TION 6 -ABNORMAL AND EMERGENCY PROCEDURES s section may be combined with sections 1 ough 5. The test shall have regard to control of helicopter, identification of the failed engine, nediate actions (touch drills), follow-up actions I checks and flying accuracy, in the following lations:	PASS	FAIL
6.a	Multi-engine helicopter only Simulated engine failure after take-off and on/during approach(at a safe altitude unless carried out in an FFS or FNPT II/III, FTD 2,3)		
6.b	Failure of stability augmentation devices/hydraulic system (if applicable)		
6.c	Limited panel		
6.d	Autorotation and recovery to a pre-set altitude		
6.e	Only one item to be tested i.3D operations manually without flight director; or ii.3D operations manually with flight director		

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature

Form 8.2.6.1.31 rev 2 Page 3 of 3



ST BIR/IR(H) PBN - Skill Test BIR/Instrument Rating (Helicopter) PBN

### INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

Instruction pages contain a summary of applicable procedures and Regulations. They shall be complemented by checking applicable Regulations, Examiner Handbook and EASA Examiner Differences Document.

Incomplete forms or with filling deficiencies, will be rejected, stopping any application process.

#### **Conditions**

Examiner: ANAC Inspector or IRE(H).

Prior notification: MANDATORY up to 05 days prior of planned date (ANAC Examiners: webportal; NON-ANAC Examiners: e-mail or webportal, as applicable).

ANAC approval: MANDATORY (check webportal or e-mail, as applicable).

Experience & crediting: FCL.615, Appendix 3 - "Training courses for the issue of a CPL and an ATPL", Appendix 6 - "Modular training courses for the IR.

A Course Completion Certificate, shall be handed by the ATO to the Examiner prior to the conduct of the Test.

EXAM SHALL NOT TAKE PLACE IF THE COURSE COMPLETION CERTIFICATE IS NOT PRESENTED TO THE EXAMINER, IF NOT PROPERLY FILLED AND NOT SIGNED.

Exam duration: according GM1 FCL.1015, at least 03 hours total, of which at least 60 minutes flight (including navigation section).

Timeframe: All relevant sections of the skill test shall be completed within six months.

Licence endorsement: Not applicable.

Exam report: MANDATORY, up to 15 days after planned date (ANAC Examiners: webportal; NON-ANAC Examiners: e-mail or webportal, as applicable).

#### Filling instructions

Fill hours and times as hh:mm and dates in dd/mm/yyyy format.

SECTION A: Self-explanatory.

SECTION B.1: Indicate attempt number. In case of a re.-test, indicate the date of the previous attempt.

NOTE 1: Form(s) of previous attempt(s) shall be attached to this Form and verified by the Examiner.

NOTE 2: Examiner shall check the Course Completion Certificate issued by the ATO, before starting the Test.

**SECTION B.2:** Indicate the helicopter type used in the Test in accordance with the "EASA Type Rating & License Endorsement List Flight Crew" and variant (if applicable).

SECTION B.3: Fill the flight details in line 1.

In case the Test is conducted in more than one flight, use additional lines 2 and 3 for subsequent flight(s).

In case an aircraft is used, all items are self-explanatory, except:

- "Start time", "Finish time" and "Duration", according definitions contained in FCL.010, for flight time.

In case an FSTD is used, all items self-explanatory, except:

- "Registration" column, insert the FSTD Qualification Certificate number;
- "Departure location" and "Arrival location" are not mandatory;
- "Start time" and "Finish time" will be the time of start and end of the FSTD session, respectively;
- "Duration" will be the session time.

"Total duration & Ldgs" is respectively the sum of duration times and sum of landings, if more than one flight was conducted (line 1+2+3).

SECTION B.4: Grade according to "Pass/fail policy" detailed below.

SECTION B.5: Self-explanatory.

If the applicant refuses to sign, the Inspector/senior examiner shall record the fact in SECTION C.

ANAC shall be informed with undue delay, with a short report of the event.

SECTION B.6: Self-explanatory

By signing, the Examiner acknowledges the declarations contained within the section.

NON-ANAC Examiners, shall enter the current Examiner Differences Document version, after reviewing it.

No stamps allowed, except ANAC Inspectors.

SECTION B.7: Applicable only in case of an ANAC <u>supervision</u>, <u>Examiner Assessment of Competence</u> or <u>Examiner Standardization Session</u>, simultaneously to the Test, in which case the ANAC Inspector or authorized Senior Examiner fills and signs this section.

By signing, the Inspector or Senior Examiner acknowledges the declarations contained within the section.

No stamps allowed, except ANAC Inspectors.

SECTION C: Any remarks deemed necessary.

Items failed / reasons for failure will be justified here.

If insufficient space, attach a page detailing date, type of Test, applicant name and signature, Inspector/senior examiner name and signature.

SECTION 1 to 6: Grade each item in respective PASS or FAIL columns, with short signature (containing the Inspector/Senior Examiner initials), in appropriate box.

Do not grade with crosses (X) or check marks  $(\sqrt{})$ .

At the discretion of the FE, any manoeuvre or procedure of the test may be repeated once by the applicant. In such case the FE, shall write the number "2" (indicating 2<sup>nd</sup> attempt) next to the signature/initials in the applicable item.

In accordance with FCL.1030(b)(3)(ii), if an item has been failed, the examiner shall record the reasons for this assessment. Section C shall be used for that purpose.

Form 8.2.6.1.31 rev 2 Instructions Annex 1 of 2



ST BIR/IR(H) PBN - Skill Test BIR/Instrument Rating (Helicopter) PBN

# INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

#### **Regulations**

FCL.620 - IR Skill Test. Appendix 7 - IR Skill Test.

#### Flight test tolerance limits

<u> </u>	
Height	
generally	± 100 ft
starting a go-around at decision height/altitude	+ 50 ft / - 0 ft
minimum descent height/MAP/altitude	+ 50 ft / - 0 ft
Tracking	
on radio aids	± 05°
For angular deviations	Half scale deflection, azimuth and glide path (e.g. LPV, ILS, MLS, GLS)
2D (LNAV) and 3D (LNAV/VNAV) "linear"	
lateral deviations)	cross-track error/deviation shall normally be limited to ± ½ the RNP value associated
	with the procedure. Brief deviations from this standard up to a maximum of 1 time the RNP value are allowable.
3D linear vertical deviations (e.g. RNP APCH (LNAV/VNAV)	the KW value are anowable.
	not more than - 75 feet below the vertical profile at any time, and not more
	than + 75 feet above the vertical profile at or below 1 000 feet above
	aerodrome level.
	acrodionic level.
Heading	
all engines operating	
with simulated engine failure	± 10°
Speed	
all engines operating	± 05 knots
with simulated engine failure	+ 10 knots / - 05 knots

The FE should make allowance for turbulent conditions and the handling qualities and performance of the helicopter used.

#### Conduct of the test

Applicants for an IR shall demonstrate through the completion of a Skill Test the ability to perform, as PIC on the appropriate aircraft category, the relevant procedures and manoeuvres with competency appropriate to the privileges granted.

An applicant shall have received flight instruction on the same class or type of aircraft to be used for the Skill Test.

The test is intended to simulate a practical flight. The route to be flown shall be chosen by the examiner. An essential element is the ability of the applicant to plan and conduct the flight from routine briefing material. The applicant shall undertake the flight planning and shall ensure that all equipment and documentation for the execution of the flight are on board.

An applicant shall be required to fly the aircraft from a position where the PIC functions can be performed and to carry out the Test as if no other crew member is present. The examiner shall take no part in the operation of the aircraft, except when intervention is necessary in the interests of safety or to avoid unacceptable delay to other traffic.

At the discretion of the FE, any manoeuvre or procedure of the Test may be repeated once by the applicant. In such case the FE, shall write the number "2" (indicating 2<sup>nd</sup> attempt) next to the signature/initials in the applicable item.

The FE may stop the Test at any stage if it is considered that the applicants' demonstration of flying skills requires a complete re-test.

Should the applicant choose to terminate the Skill Test for reasons considered inadequate by the Flight Examiner (FE), grade "FAIL" in section B.4. The applicant shall retake the entire Skill Test, for which a new FORM shall be used.

If the Test is terminated for reasons considered adequate by the FE, only those sections not completed shall be tested in a further flight. In such case, the same FORM shall be used, completing the missing items/sections.

#### Pass/fail policy

An applicant shall pass all the relevant sections of the Skill Test. In such case, grade "PASS" in section B.4 of this FORM.

Failure in any item of a section will cause the applicant to fail the entire section.

In accordance with FCL.1030(b)(3)(ii), if an item has been failed, the examiner shall record the reasons for this assessment. Section C shall be used for that purpose.

Failure in more than one section will require the applicant to take the entire Test again. In such case, grade "FAIL" in section B.4.

An applicant **failing only in one section** shall only repeat the failed section. In such case, grade "**PARTIAL PASS**" in section B.4. Failure in any section of the re-test, including those sections that have been passed on a previous attempt, will require the applicant to take the entire Test again.

Failure to achieve a pass in all relevant sections of the Test in two attempts will require further practical training.

NOTE: When the Test is repeated (following a PARTIAL PASS or FAIL), a new FORM shall be used.
FORM(S) of previous attempt(s) shall passed to the new examiner and attached to the new FORM.
Form 8.2.6.1.31 rev 2