

ST/PC SP/MP (H) PBN – Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

	Fill in BLUE or BLACK ink, with BLOCK CAPITALS, after checking the instructions contained in the annex to this form.									
SECTION A - APPLICANT DETAILS										
Со	mplete Name							Licence N°		
	Skill Test: the Examiner shall check the Course Completion Certificate issued by the ATO, prior to its conduct. Proficiency Check for type/instrument rating renewal: The Examiner shall check the <u>Training completion certificate</u> or Course Completion Certificate issued by the ATO, prior to the conduct of the Proficiency Check									
	Course Completion Certificate issued by the ATO, prior to the conduct of the Proficiency Check.									
	ECTION B - PRE 1 - Type rating				REMENTS alidation requirement	ts FCL 740 H(a)(1)(2	R3.Inc	strument rating	•	
	ype:				oiston helicopters FCL.			evalidation		
	Initial issue (1)	si	ngle-	engine t	urbine helicopters FCI	740.H(a)(4)	R	enewal (3)		
	Revalidation	М	ulti-E	naine H	elicopters		 E:	xtension privile	ges IR(SE) – IR(ME)	
	<u> </u>			-	·			NI Francisco cui		
	Renewal (2)	C	ombii	ned LPC,	/IR, according FCL.740).H(a)(6).	PB	N Extension pri	vileges	
0	peration	s	ingle	Pilot	Multi Pilot		PB	N Revalidation ,	/Renewal	
SE	CTION C - SKII	LL TEST /	PRO	FICIENC	Y CHECK					
	l – Attempts	- ,								
Att	empt number	(If applicabl	e) dat	e of prev	ious attempt					
C.2	2 - Details									
	Date	Cond	ucted	ucted in Registration		Start time	Finish time		Duration	
1		Н	F	STD						
2		Н	F	STD						
								Total Duration:		
C .3	3 – Result			C.4 – A	pplicant Declaration					
	PASS				re that I have been in				n accordance with the	
	J T			Regulati	of PC for revalidation ons, I may not exercise th					
	PARTIAL PASS			Signatu	re:					
_	FAIL						,			
	o - Licence endor: have endorsed t				idation only, if withining & new validity date	n 3 months of expir		new validity date	nly)	
	itings in the app			:						
	6 - Examiner					C.7 - (If applicable)	ANAC In	spector / Senio	r Examiner	
Na	me					Name				
Exa	Examiner Certificate number/Member State					Examiner Certificate ni	umber/Me	ember State		
FC	L.1030(a)2 &(b)(3)(i) - Appl	icant'.	s experier	nce and training complies	l with the applicable rea	uirement	ts of PART-FCL.		
					and exercises have been c I (3)(iv) - I have reviewed				requirements of the	
LIN	OII ANAC LAGIIII	inera uniy.			mpetent Authority contain					
Exa	aminer signature					ANAC Inspector / Senio	or Examir	ier signature		

Form 8.2.6.1.34, rev 0 Page 1 of 4



ST/PC SP/MP (H) PBN – Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

Licence Nº

Applicant name

Date

SECTION D - REMARKS /	REASONS FOR FAILURE (AS A	PPLICABLE)	

SEC	SECTION 1 – Preflight preparations and checks		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL	
1.1	Helicopter exterior visual inspection; location of each item and purpose of inspection		Р		M (if performed in the helicopter)			
1.2	Cockpit inspection	Р	→		М			
1.3	Starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies	Р	→		М			
1.4	Taxiing/air taxiing in compliance with ATC instructions or with instructions of an instructor $% \left(1\right) =\left(1\right) \left(1\right) \left$	Р	→		М			
1.5	Pre-take-off procedures and checks	Р	>		М			

SECTI	SECTION 2 – Flight manoeuvres and procedures		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL	
2.1	Take-offs (various profiles)	Р	→		М			
2.2*	Sloping ground or crosswind takeoffs & landings	P→	→					
2.3	Take-off at maximum take-off mass (actual or simulated maximum take-off mass) $ \\$	P→	→					
2.4	Take-off with simulated engine failure shortly before reaching TDP or \ensuremath{DPATO}	Р	→		М			
2.4.1	Take-off with simulated engine failure shortly after reaching TDP or DPATO	Р	→		М			
2.5	Climbing and descending turns to specified headings	Р	→		М			
2.5.1	Turns with 30° bank, 180° to 360° left and right, by sole reference to instruments	Р	→		М			

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature

Form 8.2.6.1.34, rev 0 Page 2 of 4



ST/PC SP/MP (H) PBN – Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

Date	Applicant name	Licence N°

SECTION 2 – Flight manoeuvres and procedures		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL
2.6	Autorotative descent	Р	→		М		
2.6.1	For single-engine helicopters (SEH) autorotative landing or for multiengine helicopters (MEH) power recovery	Р	→		М		
2.7	Landings, various profiles	P	→		М		
2.7.1	Go-around or landing following simulated engine failure before LDP or \ensuremath{DPBL}	P	→		М		
2.7.2	Landing following simulated engine failure after LDP or DPBL	Р	→		М		

SECTION 3 – Normal and abnormal operations of the following systems and procedures			Practical Training			Test / Check		
100	Manoeuvres/procedures	FSTD	н	Instructor initials	Chkd in FFS/H	PASS	FAIL	
3	Normal and abnormal operations of the following systems and proced	lures:		initials	A mandatory minimum of 3 items shall be selected from this section			
3.1	Engine	P→	→					
3.2	Air conditioning (heating, ventilation)	P→	→					
3.3	Pitot/static system	P→	→					
3.4	Fuel System	P→	→					
3.5	Electrical system	P→	→					
3.6	Hydraulic system	P→	→					
3.7	Flight control and trim-system	P→	→					
3.8	Anti-icing and de-icing system	P→	→					
3.9	Autopilot/Flight director	P→	→					
3.10	Stability augmentation devices	P→	→					
3.11	Weather radar, radio altimeter, transponder	P→	→					
3.12	Area navigation system	P→	→					
3.13	Landing gear system	P→	→					
3.14	APU	P→	→					
3.15	Radio, navigation equipment, instruments and FMS	P→	→					

SECT	SECTION 4 – Abnormal and emergency procedures		Practical Training			Test / Check		
	Manoeuvres/procedures	FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL	
4	Abnormal and emergency procedures:					latory minir II be selecte section	num of 3 ed from this	
4.1	Fire drills (including evacuation if applicable)	Р	→					
4.2	Smoke control and removal	Р	→					
4.3	Engine failures, shutdown and restart at a safe height	Р	→					

Examiner signature	ANAC Inspector / Senior Examiner signature	Applicant signature

Form 8.2.6.1.34, rev 0 Page 3 of 4



ST/PC SP/MP (H) PBN – Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

Date	Applicant name	e			Li	cence N°		
SECTI	ON 4 – Abnormal and emerge	ncy procedures	Pract	ical Traini	ng	Te	st / Chec	ck
	Manoeuvres/proce	dures	FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL
4	Abnormal and emergency procedures					atory minimi be selected section		
4.4	Fuel dumping (simulated)		Р	→				
4.5	Tail rotor control failure (if applicable)		Р	→				
4.5.1	Tail rotor loss (if applicable)	Р	a)		FFS only			
4.6	Incapacitation of crew member - MPH o	only	Р	→				
4.7	Transmission malfunctions		Р	→				
4.8	Other emergency procedures as outline manual	ed in the appropriate flight	Р	→				
SECTION 5 – Instrument flight procedures (to be performed in IMC or simulated IMC)			Pract	ical Traini	ng		st / Chec	ck
	Manoeuvres/proce		FSTD	Н	Instructor initials	Chkd in FFS/H	PASS	FAIL
5.1	Instrument take-off: transition to instru as possible after becoming airborne)	ment flight is required as soon	P*	→*				
5.1.1	Simulated engine failure during depart	ure	P*	→*		М*		
5.2	Adherence to departure and arrival rou	tes and ATC instructions	P*	→ *		М*		
5.3	Holding procedures		P*	→*				
5.4	3D operations to DH/A of 200 ft (60 m by the approach procedure) or to higher minima if required	P*	→ *				
5.4.1	Manually, without flight director		P*	→*		M*		
Note: A	According to the AFM, RNP APCH proced taken into account such limitations (for	ures may require the use of autopilexample, choose an ILS for 5.4.1 ir	ot or flight dir the case of su	ector. The purchase	rocedure to	be flown	manually	shall be
5.4.2	Manually, with flight director		P*	→ *		М*		
5.4.3	With coupled autopilot		P*	→*				
5.4.4	Manually, with one engine simulated in be simulated during final approach bef aerodrome level until touchdown or un approach procedure	ore passing 1 000 ft above	P*	→ *		M*		
5.5	2D operations down to the MDA/H		P*	→*		М*		
5.6	Go-around with all engines operating o	n reaching DA/H or MDA/MDH	P*	→ *				
5.6.1	Other missed approach procedures		P*	→ *				
5.6.2	Go-around with one engine simulated i MDA/MDH	noperative on reaching DA/H or	P*	→*		М*		
5.7	•			→ *		M*		
5.8	Recovery from unusual attitudes		P*	→*		М*		
SECTI	ON 6 — Use of optional equipr	nent	Pract	ical Traini	ng	Te	st / Chec	ck
	Manoeuvres/proce		FSTD	Н	Instructor	Chkd in FFS/H	PASS	FAIL
6	Use of optional equipment		Р	→				
Examir	ner signature	signature	Applic	ant signatu	re			

Form 8.2.6.1.34, rev 0 Page 4 of 4



ST/PC SP/MP (H) PBN - Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

Instruction pages contain a summary of applicable procedures and Regulations. They shall be complemented by checking applicable Regulations, Examiner Handbook and EASA Examiner Differences Document.

Incomplete forms or with filling deficiencies, will be rejected, stopping any application process.

Conditions

Examiner: Skill Test, ANAC Inspector or FE(H) TRE(H) or SFE(H) with FCL.1005.FE(b)(1)(2) or FCL.1005.TRE/SFE(b)(1) privileges. Type/IR Proficiency Check, ANAC Inspector or TRE(H) with FCL.1005.TRE(b)(2) privileges or SFE(H) with

FCL.1005.SFE(b)(1)(2) privileges.

Prior notification: Skill Test, MANDATORY up to 05 days prior of planned date (ANAC Examiners: webportal; NON-ANAC

Examiners: e-mail).

Proficiency Check, NOT MANDATORY.

ANAC approval: Skill Test, MANDATORY (check webportal or e-mail, as applicable).

Proficiency Check, NOT MANDATORY.

Experience & crediting: Skill Test, FCL.725, FCL.720.H,

Type/instrument Proficiency Check, FCL625, FCL625.H, FCL.740 or FCL.740.H

Exam duration: according GM1 FCL.1015, at least <u>04 hours</u> total, of which at least <u>120 minutes</u> flight/session.

Licence endorsement: See SECTION C.5 instructions below.

Exam report: MANDATORY, up to 15 days after planned date (ANAC Examiners: webportal; NON-ANAC Examiners: e-mail).

Filling instructions

Fill hours and times as hh:mm and dates in dd/mm/yy format.

SECTION A: Self-explanatory.

SECTION B.1: Under "Type", indicate type rating as in the licence or "EASA Type Rating & License Endorsement List Flight Crew" (ex: Aw139).

- (1) The Examiner shall check the Course Completion Certificate issued by the ATO, prior to the conduct of the Skill Test.
- The Examiner shall check the <u>Training completion certificate</u> or <u>Course Completion Certificate</u> issued by the ATO, prior to the conduct of the Proficiency Check.

SECTION B.2: If applicable, for type revalidation only. Select appropriate option...

SECTION B.3: Self-explanatory.

(3) The examiner shall check the Refresher Training Declaration issued by the ATO, prior to the conduct of the Proficiency Check.

SECTION C.1: Indicate attempt number. In case of a re-Test/Check, indicate the date of the previous attempt.

NOTE: Form(s) of previous attempt(s) shall be attached to this Form and verified by the Examiner.

SECTION C.2: Fill the flight or FSTD details in line 1.

In case the Test/Check is conducted in more than one flight/FSTD session, use additional line 2 for 2nd flight/FSTD session. Additional flights/sessions use SECTION D.

In case an aircraft is used, all items are self-explanatory, except:

- "Start time", "Finish time" and "Duration", according definitions contained in FCL.010, for flight time.
 Indicate in SECTION D the departure and arrival aerodromes/airports, number of landings and AD(s) where IFR approaches took place.

In case an **FSTD** is used, all items self-explanatory, except:

- Registration" column, insert the FSTD Qualification Certificate number;
- "Start time" and "Finish time" will be the time of start and end of the FSTD session, respectively;
- "Duration" will be the session time.

"Total duration", sum of duration times, if more than one flight/session was conducted (line 1+2).

SECTION C.3: Grade according to "Pass/fail policy" detailed below.

SECTION C.4: Applicant shall acknowledge that (s)he has been informed of the result of the Test/Check by signing this field.

In case of an Proficiency Check for revalidation of a rating and a Partial Pass or Fail is obtained: the applicant additionally acknowledges, that in accordance with the Regulations - FCL.740.H(b) - (s)he may not exercise the privileges of the Rating, until a PASS in a new PC is obtained.

If the applicant refuses to sign, the Examiner shall record the fact in SECTION D - "Remarks/Reasons for Failure". ANAC shall be informed with undue delay, with a short report of the event.

Form 8.2.6.1.34. rev 0 Instructions Annex 1 of 4



ST/PC SP/MP (H) PBN - Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

SECTION C.5: Applicable only to ANAC Examiners and only in case of revalidation of ratings within 3 months prior of expiry <u>date</u>: indicate type rating as endorsed in the licence, followed by the new expiry date (*dd/mm/yy* format).

ENDORSEMENT OF RATINGS IN THE LICENCE IS NOT PERMITTED TO NON-ANAC EXAMINERS.

SECTION C.6: Self-explanatory.

By signing, the Examiner acknowledges the declarations contained within the section.

NON-ANAC Examiners, shall enter the current Examiner Differences Document version, after reviewing it.

No stamps allowed, except ANAC Inspectors.

SECTION C.7: Applicable only in case of an ANAC supervision, Examiner Assessment of Competence or Examiner Standardization Session, of the Test/Check, in which case the ANAC Inspector or authorized Senior Examiner fills and signs this section.

By signing, the Inspector or Senior Examiner acknowledges the declarations contained within the section.

No stamps allowed, except ANAC Inspectors.

SECTION D: Any remarks deemed necessary. Reasons for failed items are explained here.

If insufficient space, attach a page detailing date, type of Test/Check, applicant name and signature, Examiner name and signature.

Regulations

FCL.725(c) Skill Test type rating (if applicable)

Appendix 9 - Training, Skill Test and Proficiency Check for MPL, ATPL, type and class ratings, and Proficiency Check for IRs.

SECTION 1 to 6: referring to Appendix 9 Training, Skill Test and Proficiency Check for MPL, ATPL, type and class ratings, and Proficiency Check for IRs

The symbology and considerations for "Practical Training" table shall be checked in the appropriate Regulations.

In case of a type rating Skill Test or Proficiency Check for renewal, the instructor shall insert initials under "Instructor initials" column, for each training exercise completed.

C. Specific requirements for the helicopter category

In the case of skill test or proficiency check for type ratings and the ATPL, applicants shall pass Sections 1 to 4 and 6 (as applicable) of the skill test or proficiency check.

Failure in more than five items will require applicants to repeat the entire test or check.

Applicants failing not more than five items shall repeat the failed items.

Failure in any item in the case of a retest or a recheck or failure in any other items already passed will require the applicants to repeat the entire test or check again. All sections of the skill test or proficiency check shall be completed within 6 months.

In the case of proficiency check for an IR, applicants shall pass Section 5 of the proficiency check.

Failure in more than 3 items will require applicants to repeat the entire Section 5.

Applicants failing not more than 3 items shall repeat the failed items.

Failure in any item in the case of a recheck or failure in any other items of Section 5 already passed will require applicants to repeat the entire check.

- The applicant shall demonstrate the ability to:
 - operate the helicopter within its limitations;
 - complete all manoeuvres with smoothness and accuracy;
 - exercise good judgement and airmanship;
 - apply aeronautical knowledge:
 - maintain control of the helicopter at all times in such a manner that the successful outcome of a procedure or manoeuvre is never in doubt;
 - understand and apply crew coordination and incapacitation procedures, if applicable; and
 - communicate effectively with the other crew members, if applicable.
- The following limits shall apply, corrected to make allowance for turbulent conditions and the handling qualities and performance of the helicopter used.

(a) IFR flight limits

Height Generally Starting a go-around at decision

±100 ft +50 ft/-0 ft

height/altitude Minimum descent height/MAP/altitude

+50 ft/

Form 8.2.6.1.34. rev 0 Instructions Annex 2 of 4



ST/PC SP/MP (H) PBN - Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

Tracking

On radio aids

For "angular" deviations Half-scale deflection, azimuth and glide path

(e.g. LPV, ILS, MLS, GLS) cross-track error/deviation shall normally be

2D (LNAV) and 3D (LNAV/VNAV) "linear" lateral deviations

limited to ± ½ of the RNP value associated with the procedure. Brief deviations from this standard up to a maximum of one time

the RNP value are allowable.

3D linear vertical deviations (e.g. RNP APCH (LNAV/VNAV) using BaroVNAV)

not more than - 75 ft below the vertical profile at any time, and not more than + 75 ft above the vertical profile at or below

1 000 ft above aerodrome level

Heading

all engines operating ±5° ±10° with simulated engine failure

all engines operating +5 knots

+10 knots/-5 knots with simulated engine failure

(b) VFR flight limits

Height:

±100 ft Generally Normal operations Abnormal operations/emergencies ±10°

Generally ±10 knots With simulated engine failure +10 knots/-5 knots

Ground drift:

T.O. hover I.G.E +3 ft

±2 ft (with 0 ft rearward or lateral flight) Landing

CONTENT OF THE TRAINING/SKILL TEST/PROFICIENCY CHECK.

GENERAL

The following symbols mean:

P = Trained as PIC for the issue of a type rating for single-pilot helicopters (SPH) or trained as PIC or co-pilot and as PF and PM for the issue of a type rating for multi pilot helicopters (MPH).

The practical training shall be conducted at least at the training equipment level shown as (P), or may be conducted up to any higher equipment level shown by the arrow (---->).

The following abbreviations are used to indicate the training equipment used:

- FFS = full-flight simulator
- FTD = flight training device
- H = helicopter

= indicates an Helicopter may not be used for the exercise.

Grade each item in respective PASS or FAIL columns, with short signature (containing the Examiner initials), in appropriate box. Do not grade with crosses (X) or check marks (\checkmark) .

At the discretion of the Examiner, any manoeuvre or procedure of the Test/Check may be repeated once by the applicant. In such case the Examiner, shall write the number "2" (indicating second attempt) next to the signature/initials in the applicable item.

In accordance with FCL.1030(b)(3)(ii), if an item has been failed, the Examiner shall record the reasons for this assessment in SECTION D.

- 7. The starred items (*) shall be flown in actual or simulated IMC, only by applicants wishing to renew or revalidate an IR(H) or extend the privileges of that rating to another type.
- Instrument flight procedures (Section 5) shall be performed only by applicants wishing to renew or revalidate an IR(H) or extend the privileges of that rating to another type. An FFS or an FTD 2/3 may be used for this purpose.
- 8.A. To establish or maintain PBN privileges, one approach shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.

By way of derogation from subparagraph above, in cases where a proficiency check for revalidation of PBN privileges does not include an RNP APCH exercise, the PBN privileges of the pilot shall not include RNP APCH. The restriction shall be lifted if the pilot has completed a proficiency check including an RNP APCH exercise.'.

Form 8.2.6.1.34. rev 0 Instructions Annex 3 of 4



ST/PC SP/MP (H) PBN – Skill Test or Proficiency Check Single Pilot/Multi-Pilot Helicopter PBN

INSTRUCTIONS DO NOT PRINT THIS PAGE, UNLESS STRICTLY NECESSARY

- 9. Where the letter 'M' appears in the skill test or proficiency check column, this will indicate a mandatory exercise e or a choice where more than one exercise appears
- 10. **An FSTD shall be used for practical training and testing if the FSTD** forms part of a type rating course. The following considerations will apply to the course:
 - (a) the qualification of the FSTD as set out in the relevant requirements of Annex VI (PartARA) and Annex VII (Part-ORA);
 - (b) the qualifications of the instructor and examiner;
 - (c) the amount of FSTD training provided on the course;
 - (d) the qualifications and previous experience in similar types of the pilots under training; and
 - (e) the amount of supervised flying experience provided after the issue of the new type rating.

MULTI-PILOT HELICOPTERS

- 11. Applicants for the skill test for the issue of the multi-pilot helicopter type rating and ATPL(H) shall pass only Sections 1 to 4 and, if applicable, Section 6.
- 12. Applicants for the revalidation or renewal of the multi-pilot helicopter type rating proficiency check shall pass only Sections 1 to 4 and, if applicable, Section 6.

Form 8.2.6.1.34, rev 0 Instructions Annex 4 of 4